## AMENDMENTS TO THE CLAIMS

The following is a complete, marked-up listing of revised claims with a status identifier in parenthesis, underlined text indicating insertions, and strike through and/or double-bracketed text indicating deletions.

## **LISTING OF CLAIMS**

1. (Currently Amended) A method of producing biogas by anaerobic digestion of organic matter, comprising:

drying organic matter to a dry solids content of at least 50% by weight <u>total</u> solids (TS) and subsequently pelletising the same,

mixing the pelletised organic matter with a liquid to form a slurry, contacting the slurry with biogas-producing bacteria for digestion under anaerobic conditions in a reactor, and

digesting the slurry while producing biogas.

- 2. (Currently Amended) A method as claimed in claim 1, in which wherein the organic matter is dried to a dry solids content of at least 70% by weight total solids (TS).
- 3. (Currently Amended) A method as claimed in claim 1, in which wherein the dried and pelletised matter is ground before being mixed with said liquid to form the slurry.
- 4. (Currently Amended) A method as claimed in claim 1, in which further comprising:

grinding the organic matter is ground in such a manner that at least 80% by

Application No. 10/524,190 Attorney Docket No. 10400C-000142/US

weight of the organic matter obtains a particle size of 0.5-3 mm.

5. (Currently Amended) A method as claimed in claim 1, in which wherein an

additional organic matter of being a different type other than the first mentioned

organic matter is also digested in the reactor, at least 10% by weight of the total dry

solids introduced into the reactor originating from the dried and pelletised organic

matter.

6. (Currently Amended) A method as claimed in claim 1, in which wherein the

liquid with which the organic matter is mixed is essentially pure water.

7. (Currently Amended) A method as claimed in claim 1, in which wherein the

liquid with which the organic matter is mixed at least partly is digested sludge which

is removed from the reactor.

8. (Currently Amended) A method as claimed in claim 1, in which wherein the

pelletised organic matter is mixed in a premixing tank with a liquid to form said

slurry with a dry solids content of 15-45% by weight total solids(TS), and this slurry is

then introduced into the reactor to be digested at a dry solids content of 5-10% by

weight total solids (TS).

9. (Currently Amended) A method as claimed in claim 1, in which wherein the

dried and pelletised organic matter is dried green matter, such as dried agricultural

products.

10. (Currently Amended) A method as claimed in claim 1, in which wherein the

Page 4

organic matter is ground before being pelletised.

11. (Withdrawn - Currently Amended) A device for producing biogas by

anaerobic digestion of organic matter, said device comprising a sealable, essentially

gas-tight reactor having an inlet for organic matter and outlets for produced biogas

and formed digested sludge, wherein the device comprises a premixing tank for mixing

organic matter dried to a dry solids content of at least 50% by weight total solids

(TS)TS and pelletised, with a liquid to a slurry, and a feed pipe for feeding the slurry to

the reactor in which the slurry is contacted with biogas-producing bacteria.

12. (Withdrawn) A device as claimed in claim 11, in which a mill is arranged for

grinding the dried and pelletised organic matter before being introduced into the

premixing tank.

13. (Withdrawn) A device as claimed in claim 12, in which the mill is adapted

to grind the dried and pelletised organic matter so that at least 80% by weight of the

organic matter obtains a particle size of 0.5 - 3 mm.

14. (Withdrawn) A device as claimed in claim 11, in which a supply pipe is

arranged for feeding digested sludge from the reactor to the premixing tank.